

Diaphragm-Type Seals

Diaphragm Gauge Type M93X.D1

Diaphragm Seals

Application

Process industry diaphragm gauge for use in corrosive contaminated or viscous media. Unit does not allow any excess to the system fill, gauge is permanently welded to the seal body.

Design

Process industry gauge with integrated diaphragm seal, requires hydraulic fluid to transmit pressure to instrument

Process Connection

1/4" and 1/2" NPT

Suitable Pressure Ranges

Max 5000PSI

Operating Temperature

Media: 0 to 300°F

Ambient: 0 to 140°F (with dry case) 0 to 140°F (with filled case)

Gauge Size

4 1/2" Process gauge

Dial

White aluminum with black lettering

Accuracy

±0.5% of span



Case Material

Fiberglass reinforced thermoplastic, black and ring

Window


Acrylic

Pointer

Black aluminum, adjustable

Available Options

See Selection Guide (over)



To determine the effects of temperature and response time in a specific application, contact the factory for an *Application Questionnaire*. The information provided will allow WIKA Technical Support to accurately model your application parameters using state-of-the-art computer simulation techniques.

Order code for GASTRAP Seal Type M93X.D1

	ld No.	Code	Seal Type M93X.D1 Instrument Design
			Case Fill
		2	Without
1		3	With (glycerine-standard)
•	<u> </u>		Nominal Size
2		U	4 1/2"
	<u> </u>		Unit
		Р	Psi
		0	Dual scale psi / kg/cm2
		С	Dual scale psi / kpa
		F	Dual scale psi / bar
3		?	Please give customer's specifications
	•		Range
		CA	-30 inHg0
		СВ	-30inHg15 psi
		CD	-30 inHg30 psi
		CF	-30 inHg60 psi
		СН	-30 inHg100 psi
		CK	-30 inHg160 psi
		CL	-30 inHg200 psi
		CM	-30 inHg300 psi
		СО	-30 inHg400 psi
		BC	0 psi15 psi
		BD	0 psi30 psi
		BE	0 psi60 psi
		BF	0 psi100 psi
		BG	0 psi160 psi
		BH BI	0 psi200 psi
			0 psi300 psi
		BK BL	0 psi400 psi 0 psi600 psi
		BM	0 psi800 psi
		BN	0 psi1000 psi
		BO	0 psi1500 psi
		BP	0 psi2000 psi
		BQ	0 psi3000 psi
		BS	0 psi5000 psi
4		??	Please give customer's specifications
			Connector Position
		3	Lower back mount
		U	Lower mount
5		?	Please give customer's specifications

Field No	0.	Code	Instrument Design
	ĺ		Window
		Α	Acrylic
		G	Instrument glass
	l	Н	Laminated safety glass
6		?	Please give customer's specification
			Process Connection
		GNB	1/4 NPT male
		GND	1/2 NPT male
		GN2	1/4 NPT female
		GN4	1/2 NPT female
7		???	Please give customer's specifications
	,		Diaphragm Material
		A2	Stainless steel 316L (1.4435)
	[A7	Hastelloy C276 (2.4819)
8		A8	Monel 400 (2.4360)
			Lower Housing Material
		A2	Stainless steel 316L (1.4435)
		A7	Hastelloy C276 (2.4819)
9		A8	Monel 400 (2.4360)
			Fill Fluid
		A1	KN 2 Silicon oil
		E1	KN 21 Halocarbon
		A2	KN 32 DC 704
_		B2	KN 68 DC 200 (10 cSt)
10		??	Please give customer's specifications
			Flushing Connection
		1	Without
		2	1x 1/8 NPT
	-	3	1x 1/4 NPT
		4	2x 1/8 NPT 2x 1/4 NPT
11	—	5 ?	Please give customer's specifications
11		f	Special Design Features
		Z	Without
	ŀ	2	With stainless steel tag
	ŀ	A	Clean for oxygen service, ASME B40.1, level IV
12		?	Please give customer's specifications
			Quality Certificates
		Z	Without
	ľ	L	Certificate of Compliance
	ľ	В	Certification to EN 10 204 3.1B (material certificates)
		I	NIST certificate of calibration
13		?	Please give customer's specifications
_	-		· · · · · · · · · · · · · · · · · · ·

To determine the effects of temperature and response time in a specific application, contact the factory for an *Application Questionnaire*. The information provided will allow WIKA Technical Support to accurately model your application parameters using state-of-the-art computer simulation techniques.

Field No.	Code	Instrument Design
		Additional Order Details
	Z	Without
14	Т	Additional text
	Order Cod	le
	M93[.D1- 2 3 4 5 6 7 8 9 10 11 12 - 13 14
Additional T	ext:	

Ordering Information:

State computer part number (if available) / type number / size / range / connection size and location / options required.

 $Specifications \ given in \ this \ price \ list \ represent the \ state \ of \ engineering \ at \ the \ time \ of \ printing.$ Modifications may take place and the specified materials may change without prior notice



WIKA Instrument Corporation

1000 Wiegand Boulevard Lawrenceville, Georgia 30043-5868 Tel: 770-513-8200 Fax: 770-338-5118

http://www.wika.come-mail:chemseal@wika.com